

SIRIUS[®] WORK LIGHTS

Fari supplementari a led per
auto, camion e mezzi da lavoro

*Additional led headlights for cars,
trucks and work vehicles*



 I fari da lavoro Sirius sono caratterizzati dalla potenza elevata, come è giusto che sia per prodotti che devono operare in ambienti di lavoro spesso ostici. Sono progettati per utilizzatori esigenti e per durare a lungo. Tutti i modelli hanno grado di protezione IP67, quindi resistenti alle infiltrazioni di polvere e acqua.

 *Sirius work lights are extremely powerful, ranging from 16 to 288 W. They are designed for demanding users and they are built to last. All models comply with IP 67 protection standards which means they are protected against dust and water infiltrations.*



**SUPERIOR
QUALITY**



**STEADY
PERFORMANCE**



**LONGER
LIFETIME**




**AMAZING
BRIGHTNESS**



**ENERGY
EFFICIENT**



**IP68
CERTIFIED**



**SIRIUS
WORK
LIGHTS**



SIRIUS[®] WORK LIGHTS



Fari supplementari a led per
auto, camion e mezzi da lavoro

*Additional led headlights for cars,
trucks and work vehicles*


WL 008



WL 009



WL 010



WL 011



	WL 001	WL 008	WL 009	WL 010	WL 011
Tipologia / Type	LED	LED	LED	LED	LED
Potenza / Power (W)	16	18	18	27	27
Intensità luminosa / Light intensity (Lumen)	1300	1350	1350	2100	2100
Temperatura colore / Color Temp (K)	6000	6000	6000	6000	6000
Protezione / Protection Standard	IP67	IP67	IP67	IP67	IP67
Alimentazione / Power (Volt)	10 - 30 DC				
Dimensioni / Dimensions (mm)	115x40x50	110x110x30	114x114x30	110x110x55	114x114x55
Numero LED / Number of LED	16	9	9	9	9



	WL 020	WL 021	WL 022	WL 023	WL 024
Tipologia / Type	LED	LED	LED	LED	LED
Potenza / Power (W)	36	72	144	216	288
Intensità luminosa / Light intensity (Lumen)	2700	5400	10800	16200	21600
Temperatura colore / Color Temp (K)	6000	6000	6000	6000	6000
Protezione / Protection Standard	IP67	IP67	IP67	IP67	IP67
Alimentazione / Power (Volt)	10 - 30 DC				
Dimensioni / Dimensions (mm)	101x75x60	130x75x60	115x40x50	380x75x60	515x75x60
Numero LED / Number of LED	12	24	48	72	96