

# HARDSTONE

Manuale d'Installazione

## HS B-PE02



**CITROEN C3/C6**  
**PEUGEOT 308/3008/4008**

Interfaccia Video GPS Sistema originale  
con schermo capacitivo da 7"- 8" Canbus  
Ingresso Retrocamera con IPAS - 3 AV  
USB Audio-Video 1080P - Touchscreen

*Leggere attentamente il manuale prima di installare l' unit . La non osservanza di tali regole comporta la decadenza della garanzia.*

Distribuito da:  
HARDSTONE ITALIA - MILANO ITALY  
Web: [www.hardstone.it](http://www.hardstone.it) - Email: [info@hsaudio.com](mailto:info@hsaudio.com)



**1 .Applicable car model as below:**

Car Model: PEUGEOT/Citroen (308,4008,C6)

Year: 2016.10-2017

Original System: PEUGEOT/Citroen with capacitor touch monitor, 308 7" monitor, 4008/C6 8" monitor

**2 .How to Install the interface**

Noted :please detach the parts cautiously for avoiding original accessories in damage.



1. Peugeot 308 Head unit



2 .Take out the screen frame as above picture



3. Take out the screen frame, and remove the screws at the right corner and left corner of the screen



4. Take out the rubber mat beneath air condition button



5. Detach the decoration panel around the gear shift lever



6. take out the panel carefully, and pay attention to the cables



7. Take out the handle of the gear shift lever , and unplug the cable



8 .remover the screws



9. Take out the panel beneath gear shift lever, and detach the screw of DVD




10. Take out the OEM head unit and OEM screen



11. connect the power cable to the head unit, and use our LVDS cable to connect the original head unit and original screen

( Noted: please replace the original LVDS cable by our LVDS cable, the while LVDS connector connect to original screen,

the black LVDS connector connect to OEM head unit, the pink &blue LVDS connector connect to our video interface modul



12 .Put the video interface module in a proper place



13. Enter the original radio interface to set AUX



14. press the audio frequency setting (the icon showing on red arrow)



15 .Enter the audin frequency setting, then sound icon(showing on the red arrow)



16 .Tick off the volume adjustment and Aux input submenu (like showing on the picture)




17 .Back to radio interface, and touch "AUX" icorn



18. While the AUX input setting completes, press " LIST" on steering wheel button for 3 seconds to enter our navigation interface



4. DIP Switch Description




"1"UP "2" UP for 7inch monitor  
 "1" UP "2" Down for 8inch monitor

5. Product connector description






5.1.AUX IN Cable



- 1.Aux in for DVD player
- 2.AUX IN for digital TV box
- 3.RXD (No need connect)
- 4.ACC
- 5.TXD (No need connect)
- 6.IR (No need connect)
- 7.360 detection cable
- 8.Battery
- 9.GND
- 10. Connect DVR

5.2 Power cable



- 1.Connect car original screen
- 2.Connect car original CD unit
- 3. Reverse detection
- 4.+12V for camera
- 5.Video in for rear camera
- 6. Connect interface "AUX in"